







| OCIS CLEANING EQUIPMENT PRODUCTS | | |
|--|---|-------------|
| VACUUMS | | |
| <p>OCIS 101S</p>  | <p>LOW NOISE DRY VACUUM CLEANER Power:1000w Voltage:220v-240v Height:32cm Tank Diameter:345mm Air Flow Rate:48L/S Vacuum Suction:210mbar</p> | <p>UNIT</p> |
| <p>OCIS 10S</p>  | <p>PLASTIC SILENT DRY VACUUM CLEANER Power : 1000W Voltage : 220 – 240V Vacuum Suction: 210 m/bar Capacity : 10L Noise Level : 60 db (A)</p> | <p>UNIT</p> |
| <p>OCIS 15D</p>  | <p>DRY VACUUM CLEANER Specification: - Voltage : 220V - 240V Motor (Watt) : 1000W Cable Length : 7.2m Airflow : 48 L / sec Suction : 1800 mm H2O Capacity : 15 Litre Weight : 6.7 kg Noise Level : 59 dba</p> | <p>UNIT</p> |
| <p>OCIS 15D/SS</p>  | <p>STAINLESS STEEL DRY VACUUM CLEANER Power: 1000W Voltage: 220V-240V Height: 55cm Tank Diameter: Φ 345mm Air Flow Rate: 48L/S Vacuum Suction: 210mbar Capacity : 15L</p> | <p>UNIT</p> |
| <p>OCIS BP2A</p>  | <p>OCIS BACK PACK VACUUM CLEANER Function: Dry Capacity : 5Ltr Motor Single Rated Power : 1000w Rated Voltage. : 220v – /50Hz-60Hz Mode of Cooling Circulating air Cooling Air flow rate :42L/s Vacuum Suction:180mbr Length of the Cable :18m Hose diameter:36mm Size:360X550H MM/ \pm5KGS</p> | <p>UNIT</p> |

Product Summary

| OCIS CLEANING EQUIPMENT PRODUCTS | | |
|---|---|------|
| VACUUMS | | |
| NU PSP240-11 C/W AS3  | NUMATIC DRY VACUUM CLEANER C/W ACCESSORIES Capacity : 9L Power Cord : 10m Motor : 620W Weight :(Machine + Kit) 8kg Power :230V AC 50/60Hz Cleaning Range : 26.4m Suction : 2300mm H2O Airflow :48L/sec Dimensions : 360 x 370 x 415mm | UNIT |
| NU PSP370-11 C/W AS3  | NUMATIC DRY VACUUM CLEANER C/W ACCESSORIES Capacity: 15L Power Cord: 10m Motor : 620W Weight : (Machine + Kit) 9kg Power : 230V AC 50/60Hz Cleaning Range : 26.4m Suction : 2300mm H2O Airflow : 48L/sec Dimensions: 360 x 370 x 510mm | UNIT |
| NU PPR240-11 C/W AS3  | NUMATIC DRY VACUUM CLEANER C/W ACCESSORIES Capacity: 9L Power Cord: 12.5m Motor : 620W Weight : (Machine + Kit) 9kg Power : 230V AC 50/60Hz Cleaning Range: 31.4m Suction : 2300mm H2O Airflow: 48L/sec Dimensions: 360 x 370 x 415mm | UNIT |
| OCIS 30WD  | WET AND DRY VACUUM CLEANER Capacity: 30L Power: 1000W Voltage: 220V-240V~ Height: 76cm Tank diameter: Φ 345mm Mode of cooling: Circulating air cooling Air flow rate: 53L/S Vacuum suction: 230mbar cable Length: 7m Hose diameter: Φ 40mm Packing: IPC 43X43X81cm | UNIT |

Product Summary

| OCIS CLEANING EQUIPMENT PRODUCTS | | |
|--|--|-------------|
| VACUUMS | | |
| <p>OCIS 60WD</p>  | <p>WET AND DRY VACUUM CLEANER</p> <p>Capacity: 60L Power: 2000W Voltage: 220V-240V~ Height: 90cm Tank diameter: Φ 440mm Mode of cooling: Circulating air cooling Air flow rate: 106L/S Vacuum suction: 250mbar Length of the cable: 8m Hose diameter: Φ 40mm Packing: IPC 63.5X56X99cm</p> | <p>UNIT</p> |
| <p>OCIS 90WD</p>  | <p>WET AND DRY VACUUM CLEANER (Twin Motor)</p> <p>Specification: - Voltage : 220V - 240V Motor (Watt) : 2 x 1200W Cable Length : 7.2m Airflow : 120 L / sec Suction : 2000mm H2O Capacity : 90 Litre Weight : 20kg Noise Level : 78 dba</p> | <p>UNIT</p> |