


OCIS CLEANING EQUIPMENT PRODUCTS		
 <p>OCIS LC-900</p>	<p>3 SPEED BLOWER C/W HANDLE + WHEEL Electric Current Type: DC Blade Material: Stainless Steel Mounting: Free Standing Power: 900w Voltage: 220v-240v Speed: high/middle/low Certification: CE, CCC, UL, ROHS power: 850w voltage/current: 220v-240v/4A length of cable: 6m</p>	<p>UNIT</p>
 <p>OCIS FB-345</p>	<p>Floor/Carpet Blower c/w Handle and trolley Power : 3/4HP V/FREQ: 230ACV/50Hz Current (A):H3/M2.2/L2.1 Speed (RPM): H1420/M1330/L1180 Air Volume (CFM): H1560/M1460/L1280</p>	<p>UNIT</p>
 <p>OCIS DTJ4A</p>	<p>HOT & COLD WATER 3 IN 1 CARPET CLEANER</p> <p>Power(W): 3290W Dimension(L*W*H): 1000*545*975mm Voltage: 220V /50Hz Power: 3290W Roll Brush Speed: 1100rpm/Min Current: 15A Cable: 18m Feature: Sudsing / Foaming, automatic Fuel: Electric Cleaning Process: Cold Water Cleaning Cleaning Type: Manual Material: Plastic</p>	<p>UNIT</p>

OCIS CLEANING EQUIPMENT PRODUCTS																																
OTHER EQUIPMENTS & MACHINES																																
<p>OCIS CE30</p> 	<p>CARPET EXTRACTION CLEANER Voltage : 220-240V Power : 1034W Capacity : 30L Cable Length : 7m Power of Water Pump: 34W Power of Vacuum Motor : 1000W Height: 885cm Tank Diameter : \varnothing335mm Mode of Cooling: Circulating air colling Air Flow Rate: 53L/s Vacuum Suction: 230mbar Hose Diameter: \varnothing40mm Net Weight: 12.3kg Gross Weight : 18.5kg Packing: 455 x 410x 780mm</p>	<p>UNIT</p>																														
<p>OCIS CE80</p> 	<p>CARPET EXTRACTION CLEANER Voltage : 220-240V Power : 2110W Capacity : 80L Cable Length : 8m Power of Water Pump: 110W Power of Vacuum Motor : 2x2000W Height: 109cm Tank Diameter : \varnothing440mm Mode of Cooling: Circulating air colling Air Flow Rate: 106L/s Vacuum Suction: 250mbar Hose Diameter: \varnothing40mm Net Weight: 33.5kg Gross Weight : 38kg Packing: 640 x 540x 1110mm</p>	<p>UNIT</p>																														
<p>H3280</p> 	<table border="0"> <tr> <td>Rated Voltage</td> <td>AC220-240V, 50Hz</td> </tr> <tr> <td>Rated Input Power</td> <td>2500W</td> </tr> <tr> <td>Protection Class</td> <td>I</td> </tr> <tr> <td>Degree of Protection</td> <td>IPX5</td> </tr> <tr> <td>Design</td> <td>Germany</td> </tr> <tr> <td>Rated Pressure</td> <td>130bar</td> </tr> <tr> <td>Max. Pressure</td> <td>170bar</td> </tr> <tr> <td>Rated Flow</td> <td>6.67 l/min</td> </tr> <tr> <td>Max. Flow</td> <td>7.2 l/min</td> </tr> <tr> <td>Rated Temperature</td> <td>0 – 40 Celsius</td> </tr> <tr> <td>Max. Inlet Pressure</td> <td>0.7MPa</td> </tr> <tr> <td>Sound Pressure Level</td> <td>77dB</td> </tr> <tr> <td>Sound Power Level</td> <td>96dB</td> </tr> <tr> <td>Vibration Value</td> <td>1.8 m/s³</td> </tr> <tr> <td>Weight</td> <td>24.5kg</td> </tr> </table>	Rated Voltage	AC220-240V, 50Hz	Rated Input Power	2500W	Protection Class	I	Degree of Protection	IPX5	Design	Germany	Rated Pressure	130bar	Max. Pressure	170bar	Rated Flow	6.67 l/min	Max. Flow	7.2 l/min	Rated Temperature	0 – 40 Celsius	Max. Inlet Pressure	0.7MPa	Sound Pressure Level	77dB	Sound Power Level	96dB	Vibration Value	1.8 m/s ³	Weight	24.5kg	<p>UNIT</p>
Rated Voltage	AC220-240V, 50Hz																															
Rated Input Power	2500W																															
Protection Class	I																															
Degree of Protection	IPX5																															
Design	Germany																															
Rated Pressure	130bar																															
Max. Pressure	170bar																															
Rated Flow	6.67 l/min																															
Max. Flow	7.2 l/min																															
Rated Temperature	0 – 40 Celsius																															
Max. Inlet Pressure	0.7MPa																															
Sound Pressure Level	77dB																															
Sound Power Level	96dB																															
Vibration Value	1.8 m/s ³																															
Weight	24.5kg																															

OCIS CLEANING EQUIPMENT PRODUCTS		
<p>ELITE 1630</p> 	<p>Industrial High Pressure Cleaner Pressure : 110 Bar Flow Rate : 12L/mm Valve : by pass Motor: 4p-1450rpm Power : 2.2kW/3.0Hp (1x240V-50Hz) Weight: 55kg</p>	<p>UNIT</p>
<p>C-110E /170E/200E</p> 	<p>Densin Single Phase High Pressure Cleaner C/W Standard Lance Power : 240V Pressure : 110 Bar Water output : 11.7L</p>	<p>UNIT</p>